

(FILE 'HOME' ENTERED AT 07:14:27 ON 08 NOV 2010)

FILE 'MEDLINE, CAPLUS, EMBASE, BIOSIS, BIOTECHNO' ENTERED AT 07:14:56 ON
08 NOV 2010

```
L1      336 S ("YIP PING"/AU OR "YIP PING F"/AU OR "YIP PING K"/AU OR "YIP
L2      254 S ("YIP F"/AU OR "YIP P F"/AU OR "YIP P K"/AU OR "YIP P K DR"/A
L3      589 S L1 OR L2
L4      0 S L3 AND (ALLELIC RATIO)
L5      9 S L3 AND MASS SPECTROMETER
L6      0 S TWICE(2W)WIDTH(3W)GAUSSIAN
L7      0 S TWICE(W)WIDTH(10W)GAUSSIAN
L8      0 S TWICE(20W)WIDTH(20W)GAUSSIAN
L9      384 S ALLELIC RATIO
L10     6305 S (MAXIMUM ENTROPY) OR (MAXENT)
L11     89 S NOISE PROFILE
L12     11 S MASS SPECTROMETER AND L10
L13     34 S L10 AND COMPRESSION
L14     3 S L13 AND MS
L15     87268 S MASS SPECTROMETER
L16     74 S PEAK PROBABILITY
L17     0 S L15 AND L16
L18     0 S L9 AND L17
L19     518 S WIDTH(3W)GAUSSIAN
L20     15 S (TWO OR "2") (10W) L19
```

=>